

Product Listing 2015



Tegral
Quality Lighting



Manufacturers of high quality and reliable lighting products in United Kingdom, Ireland and Germany



Commercial Recessed

Mercury One	4
Mercury One LED	4
Mercury Two	4
Mercury Two V2	5
Mercury Two LED	5
Mercury Three	6
Mercury Three LED	6
Mercury Four	6
Mercury Five	6
Mercury Five LED	6
Venus 54	7
Venus 54 LED	7
Venus 65	7
Venus 65 LED	7
Moon One	8
Moon One LED	8
Moon Two	8
Moon Two LED	8
Earth One	9
Earth Two	9

Commercial Surface

Jupiter One	9
Jupiter One LED	9
Jupiter Two	9
Jupiter Two LED	10
Jupiter Three	10
Jupiter Three LED	10
Jupiter Four	10
Jupiter Five	11
Jupiter Five LED	11
Jupiter Five - Direct/indirect	11
Jupiter Five - Inline LED	11
Jupiter 65	11
Jupiter 65 LED	12
Jupiter Rack Light	12
Jupiter Rack Light LED	12
Pluto One	12
Pluto One LED	12
Pluto Two	13
Pluto Two LED	14
Pluto Three	14
Pluto Three LED	14
Pluto 54	14
Pluto 54 LED	15
Pluto Slim	15
Mars One	16
Mars One LED	16
Mars One Accessories	17
Mars Two	17
Mars Two Accessories	17
Mars Three	18
Mars Four	18
Mars Five LED	18

Downlights

Neptune One	19
Neptune Two	19
Neptune Three	19
Neptune Four	20
Neptune Five	20
Neptune Six	21
Neptune 65	21
Neptune 65 LED	21

Display

Sunex LED	21
-----------	----

Emergency

Emergency Lighting	22
--------------------	----

Industrial

Starlite One	23
Starlite One LED	23
Starlite Two	23
Starlite Two LED	23
Starlite 54	23
Starlite 54 LED	23
Starlite 65	23
Starlite 65 LED	24
Starlite 65 LED V2	24
Starlite 65 V3	24
Starlite 65 LED V3	24
Tegral 65	24
Tegral 65 LED	26
Saturn One	27
Saturn One LED	27
Saturn Two	27
Saturn Two LED	27

Bulkheads

Orbit One	27
Orbit One LED	28
Orbit Two	28
Orbit Two LED	28
Orbit Three	29
Orbit Three LED	29
Orbit Four	29
Orbit Four LED	30

Accessories

Sensors	30
Lighting Accessories	30
Lamps	30
LED Lamps	31
Helvar Control Gear	31

Product	Product Code	Description	Wattage	
Mercury One - Recessed T8 luminaires				
	T236C2	T8, recessed 1200x300 CAT2/LG3	2x36W	
	T418C2	T8, recessed 600x600 CAT2/LG3	4x18W	
	T436C2	T8, recessed 1200x600 CAT2/LG3	4x36W	
	T418	T8, recessed 600x600 Standard LBL	4x18W	
	T436	T8, recessed 1200x600 Standard LBL	4x36W	
	T236PR	T8, recessed 1200x300 prismatic	2x36W	
	T418PR	T8, recessed 600x600 prismatic	4x18W	
	T436PR	T8, recessed 1200x600 prismatic	4x36W	
	Available options			
	   			Opal versions available upon request
	Mercury One LED			
		T220C2LED	T8, recessed 1200x300 CAT2/LG3 with LED lamps	2x20W
T408C2LED		T8, recessed 600x600 CAT2/LG3 with LED lamps	4x8W	
T420C2LED		T8, recessed 1200x600 CAT2/LG3 with LED lamps	4x20W	
T408LED		T8, recessed 600x600 Standard LBL with LED lamps	4x8W	
T420LED		T8, recessed 1200x600 Standard LBL with LED lamps	4x20W	
T220PRLLED		T8, recessed 1200x300 prismatic, with LED lamps	2x20W	
T408PRLLED		T8, recessed 600x600 prismatic, with LED lamps	4x8W	
T420PRLLED		T8, recessed 1200x600 prismatic, with LED lamps	4x20W	
Above can be sold less lamps but wired for LED				
Mercury Two - Recessed T5 luminaires				
		T214C2	T5, recessed 600x300 CAT2/LG3	2x14W
		T224C2	T5, recessed 600x300 CAT2/LG3	2x24W
	T228C2	T5, recessed 1200x300 CAT2/LG3	2x28W	
	T235C2	T5, recessed 1500x300 CAT2/LG3	2x35W	
	T249C2	T5, recessed 1500x300 CAT2/LG3	2x49W	
	T254C2	T5, recessed 1200x300 CAT2/LG3	2x54W	
	T314C2	T5, recessed 600x600 CAT2/LG3	3x14W	
	T324C2	T5, recessed 600x600 CAT2/LG3	3x24W	
	T328C2	T5, recessed 1200x600 CAT2/LG3	3x28W	
	T354C2	T5, recessed 1200x600 CAT2/LG3	3x54W	
	T414C2	T5, recessed 600x600 CAT2/LG3	4x14W	
	T424C2	T5, recessed 600x600 CAT2/LG3	4x24W	
	T428C2	T5, recessed 1200x600 CAT2/LG3	4x28W	
	T454C2	T5, recessed 1200x600 CAT2/LG3	4x54W	
	TDE414	Decorative style 600x600 CAT2	4x14W	
	TDE424	Decorative style 600x600 CAT2	4x24W	
	T228	T5, recessed 1200x300 Standard LBL	2x28W	
	ST228	T5, recessed 1200x150 Standard LBL	2x28W	
	T254	T5, recessed 1200x300 Standard LBL	2x54W	
	ST254	T5, recessed 1200x150 Standard LBL	2x54W	
	T314	T5, recessed 600x600 Standard LBL	3x14W	
	T324	T5, recessed 600x600 Standard LBL	3x24W	
	T328	T5, recessed 1200x600 Standard LBL	3x28W	
	T354	T5, recessed 1200x600 Standard LBL	3x54W	
	T414	T5, recessed 600x600 Standard LBL	4x14W	
	T424	T5, recessed 600x600 Standard LBL	4x24W	
	T428	T5, recessed 1200x600 Standard LBL	4x28W	
	T454	T5, recessed 1200x600 Standard LBL	4x54W	
	Available options			
	   			

Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Mercury Two - Recessed T5 luminaires (cont.)



T228PR	T5, recessed 1200x300 prismatic	2x28W
ST228CR	T5, recessed 1200x150 clear	2x28W
T235PR	T5, recessed 1500x300 prismatic	2x35W
T249PR	T5, recessed 1500x300 prismatic	2x49W
T254PR	T5, recessed 1200x300 prismatic	2x54W
ST254CR	T5, recessed 1200x150 clear	2x54W
T314PR	T5, recessed 600x600 prismatic	3x14W
T324PR	T5, recessed 600x600 prismatic	3x24W
T328PR	T5, recessed 1200x600 prismatic	3x28W
T354PR	T5, recessed 1200x600 prismatic	3x54W
T414PR	T5, recessed 600x600 prismatic	4x14W
T424PR	T5, recessed 600x600 prismatic	4x24W
T428PR	T5, recessed 1200x600 prismatic	4x28W
T454PR	T5, recessed 1200x600 prismatic	4x54W

Available options



Opal versions of above available to special order

Mercury Two V2




MV2228C2	T5, recessed 1200x300 CAT2/LG3	2x28W
MV2235C2	T5, recessed 1500x300 CAT2/LG3	2x35W
MV2249C2	T5, recessed 1500x300 CAT2/LG3	2x49W
MV2254C2	T5, recessed 1200x300 CAT2/LG3	2x54W
MV2314C2	T5, recessed 600x600 CAT2/LG3	3x14W
MV2324C2	T5, recessed 600x600 CAT2/LG3	3x24W
MV2328C2	T5, recessed 1200x600 CAT2/LG3	3x28W
MV2354C2	T5, recessed 1200x600 CAT2/LG3	3x54W
MV2414C2	T5, recessed 600x600 CAT2/LG3	4x14W
MV2424C2	T5, recessed 600x600 CAT2/LG3	4x24W
MV2428C2	T5, recessed 1200x600 CAT2/LG3	4x28W
MV2454C2	T5, recessed 1200x600 CAT2/LG3	4x54W

Available options



Mercury Two LED



T305C2LED	T5 LED recessed 600x600 CAT2/LG3 with lamps	3x5W
T309C2LED	T5 LED recessed 600x600 CAT2/LG3 with lamps	3x9W
T405C2LED	T5 LED recessed 600x600 CAT2/LG3 with lamps	4x5W
T409C2LED	T5 LED recessed 600x600 CAT2/LG3 with lamps	4x9W
T305LED	T5 LED recessed 600x600 Standard LBL with lamps	3x5W
T309LED	T5 LED recessed 600x600 Standard LBL with lamps	3x9W
T405LED	T5 LED recessed 600x600 Standard LBL with lamps	4x5W
T409LED	T5 LED recessed 600x600 Standard LBL with lamps	4x9W



T312PRLED	LED board recessed 600x600 prismatic	3x12W
T322PRLED	LED board recessed 600x600 prismatic	3x22W
T412PRLED	LED board recessed 600x600 prismatic	4x12W
T48WPRLED	LED board recessed 1200x300 prismatic	4x12W
T422PRLED	LED board recessed 600x600 prismatic	4x22W
T88WPRLED	LED board recessed 1200x300 prismatic	4x22W
T812WPRLED	LED board recessed 1200x600 prismatic	8x12W
T822WPRLED	LED board recessed 1200x600 prismatic	8x22W

Available options



Opal versions of above available to special order

Product	Product Code	Description	Wattage
Mercury Three - Wallwashers			
	RWW140	T5, recessed wallwasher 600x300	1x40W
	RWW155	TC-L, recessed wallwasher 600x300	1x55W
	RWW214	T5, recessed wallwasher 600x300	2x14W
	RWW224	T5, recessed wallwasher 600x300	2x24W
	RWW228	T5, recessed wallwasher 1200x300	2x28W
	RWW240	TC-L, recessed wallwasher 1200x300	2x40W
	RWW254	T5, recessed wallwasher 1200x300	2x54W
	RWW255	TC-L, recessed wallwasher 1200x300	2x55W
	SWW128	T5, surface wallwasher 1200x150	1x28W
	SWW154	T5, surface wallwasher 1200x150	1x54W
Available options	   		
Mercury Three LED - LED Wallwashers			
	RWW20LED	600x300 recessed wallwasher, 4200K, primary lumen 2000lumen	20W
	RWW50LED	1200x300 recessed wallwasher, 4200K, primary lumen 5000lumen	50W
	Available options	   	
Mercury Four - Recessed T5 Retail			
	TM228	T5, recessed 1200x600	2x28W
	TM254	T5, recessed 1200x600	2x54W
	Available options	   	
Mercury Five - Recessed Decorative luminaire			
	M5414C	T5 recessed 600x600 with decorative circular diffuser	4x14W
	M5414WV	T5 recessed 600x600 with wave surface diffuser	4x14W
	Available options	    	
Mercury Five LED - Recessed Decorative LED luminaires			
	M5410LED	T5 recessed 600x600 LED with decorative circular diffuser	4x10W
	M5410LEDWV	T5 recessed 600x600 LED with wave surface diffuser	4x10W
	Available options	    	

Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Venus 54 - Recessed T5 IP54 rated luminaire



T228PR/54	T5, recessed 1200x300 prismatic IP54	2x28W
T254PR/54	T5, recessed 1200x300 prismatic IP54	2x54W
T314PR/54	T5, recessed 600x600 prismatic IP54	3x14W
T324PR/54	T5, recessed 600x600 prismatic IP54	3x24W
T328PR/54	T5, recessed 1200x600 prismatic IP54	3x28W
T354PR/54	T5, recessed 1200x600 prismatic IP54	3x54W
T414PR/54	T5, recessed 600x600 prismatic IP54	4x14W
T424PR/54	T5, recessed 600x600 prismatic IP54	4x24W
T428PR/54	T5, recessed 1200x600 prismatic IP54	4x28W
T454PR/54	T5, recessed 1200x600 prismatic IP54	4x54W



T228OP/54	T5, recessed 1200x300 opal IP54	2x28W
T254OP/54	T5, recessed 1200x300 opal IP54	2x54W
T314OP/54	T5, recessed 600x600 opal IP54	3x14W
T324OP/54	T5, recessed 600x600 opal IP54	3x24W
T328OP/54	T5, recessed 1200x600 opal IP54	3x28W
T354OP/54	T5, recessed 1200x600 opal IP54	3x54W
T414OP/54	T5, recessed 600x600 opal IP54	4x14W
T424OP/54	T5, recessed 600x600 opal IP54	4x24W
T428OP/54	T5, recessed 1200x600 opal IP54	4x28W
T454OP/54	T5, recessed 1200x600 opal IP54	4x54W

Available options



Venus 54 LED - Recessed LED IP54 rated luminaires



T312PR/54LED	LED board recessed 600x600 prismatic IP54	3x12W
T322PR/54LED	LED board recessed 600x600 prismatic IP54	3x22W
T412PR/54LED	LED board recessed 600x600 prismatic IP54	4x12W
T48WPR/54LED	LED board recessed 1200x300 prismatic IP54	4x12W
T422PR/54LED	LED board recessed 600x600 prismatic IP54	4x22W
T88WPR/54LED	LED board recessed 1200x300 prismatic IP54	4x22W
T812WPR/54LED	LED board recessed 1200x600 prismatic IP54	8x12W
T822WPR/54LED	LED board recessed 1200x600 prismatic IP54	8x22W



T312OP/54LED	LED board recessed 600x600 opal IP54	3x12W
T322OP/54LED	LED board recessed 600x600 opal IP54	3x22W
T412OP/54LED	LED board recessed 600x600 opal IP54	4x12W
T48WOP/54LED	LED board recessed 1200x300 opal IP54	4x12W
T422OP/54LED	LED board recessed 600x600 opal IP54	4x22W
T88WOP/54LED	LED board recessed 1200x300 opal IP54	4x22W
T812WOP/54LED	LED board recessed 1200x600 opal IP54	8x12W
T822WOP/54LED	LED board recessed 1200x600 opal IP54	8x22W

Available options



Venus 65 - Recessed T5 IP65 rated luminaires



T414C2/65	T5, recessed 600x600 CAT2/LG3 IP65	4x14W
T414PR/65	T5, recessed 600x600 prismatic IP65	4x14W
T424C2/65	T5, recessed 600x600 CAT2/LG3 IP65	4x24W
T424PR/65	T5, recessed 600x600 prismatic IP65	4x24W

Available options



Venus 65 LED - Recessed LED IP65 rated luminaires

























T312PR/65LED	LED board recessed 600x600 prismatic IP65	3x12W
T322PR/65LED	LED board recessed 600x600 prismatic IP65	3x22W
T412PR/65LED	LED board recessed 600x600 prismatic IP65	4x12W
T422PR/65LED	LED board recessed 600x600 prismatic IP65	4x22W

Available options




Product	Product Code	Description	Wattage	
Moon One - Recessed indirect luminaires				
	TID140	TC-L, recessed indirect 600x600	1x40W	
	TID155	TC-L, recessed indirect 600x600	1x55W	
	TID240	TC-L, recessed indirect 600x600	2x40W	
	TID255	TC-L, recessed indirect 600x600	2x55W	
	TID314	T5, recessed indirect 600x600	3x14W	
	TID414	T5, recessed indirect 600x600	4x14W	
	TID224	T5, recessed indirect 600x600	2x24W	
	TID324	T5, recessed indirect 600x600	3x24W	
	TID424	T5, recessed indirect 600x600	4x24W	
	Available options	   		
Moon One LED - Recessed LED indirect luminaires				
	TID212	LED board recessed indirect 600x600	2x12W	
	TID222	LED board recessed indirect 600x600	2x22W	
Available options	   			
Moon Two - Recessed direct/indirect luminaires				
	TDID140	TC-L, recessed direct/indirect 600x600	1x40W	
	TDID155	TC-L, recessed direct/indirect 600x600	1x55W	
	TDID240	TC-L, recessed direct/indirect 600x600	2x40W	
	TDID255	TC-L, recessed direct/indirect 600x600	2x55W	
	TDID224	T5, recessed direct/indirect 600x600	2x24W	
	TDID324	T5, recessed direct/indirect 600x600	3x24W	
	TDID414	T5, recessed direct/indirect 600x600 LG7	4x14W	
	TDID424	T5, recessed direct/indirect 600x600 LG7	4x24W	
		TDID140OP	TC-L, recessed direct/indirect 600x600 with opal cover	1x40W
		TDID155OP	TC-L, recessed direct/indirect 600x600 with opal cover	1x55W
TDID240OP		TC-L, recessed direct/indirect 600x600 with opal cover	2x40W	
TDID255OP		TC-L, recessed direct/indirect 600x600 with opal cover	2x55W	
TDID224OP		TC-L, recessed direct/indirect 600x600 with opal cover	2x24W	
TDID314OP		TC-L, recessed direct/indirect 600x600 with opal cover	3x14W	
TDID324OP		TC-L, recessed direct/indirect 600x600 with opal cover	3x24W	
TDID414OP		TC-L, recessed direct/indirect 600x600 with opal cover	4x14W	
TDID424OP	TC-L, recessed direct/indirect 600x600 with opal cover	4x24W		
Available options	    			
Moon Two LED - Recessed direct/indirect LED luminaire				
	TDID212	LED board recessed direct/indirect 600x600	2x12W	
	TDID222	LED board recessed direct/indirect 600x600	2x22W	
	TDID212OP	LED board recessed indirect 600x600	2x12W	
	TDID222OP	LED board recessed indirect 600x600	2x22W	
Available options	    			

Product	Product Code	Description	Wattage
Earth One - LED recessed luminaires			
 	LEDP15/83	LED panel 300x300 colour 3200K	15W
	LEDP15/84	LED panel 300x300 colour 4200K	15W
	LEDP15/86	LED panel 300x300 colour 6500K	15W
	LEDP25/84	LED panel 600x300 colour 4200K	25W
	LEDP25/86	LED panel 600x300 colour 6500K	25W
	LEDP36/84	LED panel 600x600 colour 4200K	36W
	LEDP36/86	LED panel 600x600 colour 6500K	36W
	LEDPWF36/84	LED panel 600x600 colour 4200K (White Frame)	36W
	LEDPWF36/86	LED panel 600x600 colour 6500K (White Frame)	36W
	LEDP48/83	LED panel 600x600 colour 3200K	48W
	LEDP48/84	LED panel 600x600 colour 4200K	48W
	LEDP48/86	LED panel 600x600 colour 6500K	48W
	LEDPWF48/84	LED panel 600x600 colour 4200K (White Frame)	48W
	LEDPWF48/86	LED panel 600x600 colour 6500K (White Frame)	48W
	LEDP482/86	LED panel 1200x150 colour 6500K	48W
	LEDP482/84	LED panel 1200x300 colour 4200K	48W
	LEDP482/86	LED panel 1200x300 colour 6500K	48W
	LEDP70/84	LED panel 1200x600 colour 4200K	70W
	LEDP70/86	LED panel 1200x600 colour 6500K	70W
	Accessories		
SUSKIT/LED	Suspension kit for panel	-	
PSF600/600	LED panel surface mounted kit for 600x600 panels	-	
PSF1200/600	LED panel surface mounted kit for 1200x600 panels	-	
PSF1200/300	LED panel surface mounted kit for 1200x300 panels	-	
Available options	   		
Earth Two - LED recessed luminaires			
	T312LED	LED panel 3x12W LED colour 4200K	36W
	T312LED/SN	LED panel 3x12W LED colour 4200K with inbuilt sensor	36W
	Available options	   	
Jupiter One - Surface T8 luminaires			
	TS418C2	T8, surface 600x600 CAT2/LG3	4x18W
	TS436C2	T8, surface 1200x600 CAT2/LG3	4x36W
	Available options	   	
Jupiter One LED - Surface LED luminaires			
	TS408C2	T8, surface 600x600 CAT2/LG3 with LED lamps	4x8W
	TS420C2	T8, surface 1200x600 CAT2/LG3 with LED lamps	4x20W
	Above can be sold less lamps but wired for LED		
Jupiter Two - Surface T8 luminaires			
	TS236C2	T8, surface 1200x220 CAT2/LG3	2x36W
	TS258C2	T8, surface 1500x220 CAT2/LG3	2x58W
	TS270C2	T8, surface 1800x220 CAT2/LG3	2x70W
	Available options	   	Versions available with prismatic or opal covers on special request

Product	Product Code	Description	Wattage
Jupiter Two LED - Surface LED luminaires			
	TS220C2	T8, surface 1200x220 CAT2/LG3 with LED lamps	2x20W
	TS225C2	T8, surface 1500x220 CAT2/LG3 with LED lamps	2x25W
	TS230C2	T8, surface 1800x220 CAT2/LG3 with LED lamps	2x30W
	TS50C2	T8, surface 1200x220 CAT2/LG3 with LED boards	50W
	TS30C2	T8, surface 1500x220 CAT2/LG3 with LED boards	30W
	TS60C2	T8, surface 1500x220 CAT2/LG3 with LED boards	60W
Available options	   	Above can be sold less lamps but wired for LED	
Jupiter Three - Surface T5 luminaires			
	TS414C2	T5, surface 600x600 CAT2/LG3	4x14W
	TS424C2	T5, surface 600x600 CAT2/LG3	4x24W
	TS428C2	T5, surface 1200x600 CAT2/LG3	4x28W
	TS454C2	T5, surface 1200x600 CAT2/LG3	4x54W
	TS414PR	T5, surface 600x600 prismatic	4x14W
	TS424PR	T5, surface 600x600 prismatic	4x24W
	TS414OP	T5, surface 600x600 opal	4x14W
	TS424OP	T5, surface 600x600 opal	4x24W
	Available options	   	
Jupiter Three LED - Surface LED luminaires			
	TS405C2	Surface 600x600 CAT2/LG3 with 5W T5 LED lamps	4x5W
	TS409C2	Surface 600x600 CAT2/LG3 with 9W T5 LED lamps	4x9W
	TS409PR	Surface 600x600 prismatic with 9W T5 LED lamps	4x9W
	TS412PR	Surface 600x600 prismatic with LED boards	4x12W
	TS422PR	Surface 600x600 prismatic with LED boards	4x22W
	TS412OP	Surface 600x600 opal with LED boards	4x12W
	TS422OP	Surface 600x600 opal with LED boards	4x22W
	Available options	   	
Jupiter Four - Surface T5 luminaires			
	TS128	T5, surface 1200x165 Standard LBL	1x28W
	TS228	T5, surface 1200x165 Standard LBL	2x28W
	TS154	T5, surface 1200x165 Standard LBL	1x54W
	TS254	T5, surface 1200x165 Standard LBL	2x54W
	TS135	T5, surface 1500x165 Standard LBL	1x35W
	TS235	T5, surface 1500x165 Standard LBL	2x35W
	TS149	T5, surface 1500x165 Standard LBL	1x49W
	TS249	T5, surface 1500x165 Standard LBL	2x49W
	TS180	T5, surface 1500x165 Standard LBL	1x80W
	TS280	T5, surface 1500x165 Standard LBL	2x80W
	TS128C2	T5, surface 1200x165 CAT2/LG3	1x28W
	TS228C2	T5, surface 1200x165 CAT2/LG3	2x28W
	TS154C2	T5, surface 1200x165 CAT2/LG3	1x54W
	TS254C2	T5, surface 1200x165 CAT2/LG3	2x54W
	TS135C2	T5, surface 1500x165 CAT2/LG3	1x35W
	TS235C2	T5, surface 1500x165 CAT2/LG3	2x35W
	TS149C2	T5, surface 1500x165 CAT2/LG3	1x49W
	TS249C2	T5, surface 1500x165 CAT2/LG3	2x49W
	TS180C2	T5, surface 1500x165 CAT2/LG3	1x80W
	TS280C2	T5, surface 1500x165 CAT2/LG3	2x80W
Available options	   	Versions available with prismatic or opal covers on special request	

Product	Product Code	Description	Wattage
---------	--------------	-------------	---------


Jupiter Five - Surface T5 suspended luminaires

	TSF128C2	T5, surface 1200x150 suspended louvre	1x28W
	TSF228C2	T5, surface 1200x150 suspended louvre	2x28W
	TSF154C2	T5, surface 1200x150 suspended louvre	1x54W
	TSF254C2	T5, surface 1200x150 suspended louvre	2x54W
	TSF135C2	T5, surface 1500x150 suspended louvre	1x35W
	TSF235C2	T5, surface 1500x150 suspended louvre	2x35W
	TSF149C2	T5, surface 1500x150 suspended louvre	1x49W
	TSF249C2	T5, surface 1500x150 suspended louvre	2x49W
	TSF180C2	T5, surface 1500x150 suspended louvre	1x80W
	TSF280C2	T5, surface 1500x150 suspended louvre	2x80W
	TSF128OP	T5, surface 1200x150 suspended with opal cover	1x28W
	TSF228OP	T5, surface 1200x150 suspended with opal cover	2x28W
	TSF154OP	T5, surface 1200x150 suspended with opal cover	1x54W
	TSF254OP	T5, surface 1200x150 suspended with opal cover	2x54W
	TSF135OP	T5, surface 1500x150 suspended with opal cover	1x35W
	TSF235OP	T5, surface 1500x150 suspended with opal cover	2x35W
	TSF149OP	T5, surface 1500x150 suspended with opal cover	1x49W
	TSF249OP	T5, surface 1500x150 suspended with opal cover	2x49W

Available options




Jupiter Five LED - Surface LED suspended luminaires

	TSF20WLED	T5, surface 1200x150 suspended louvre, primary 2000 lumen, 4200K	20W
	TSF50WLED	T5, surface 1200x150 suspended louvre, primary 5000 lumen, 4200K	50W
	TSF30WLED	T5, surface 1500x150 suspended louvre, primary 3000 lumen, 4200K	30W
	TSF60WLED	T5, surface 1500x150 suspended louvre, primary 6000 lumen, 4200K	60W

Available options




Jupiter Five - direct/Indirect models

	TSDID228	T5, suspended 1200x220 with louvre	2x28W
	TSDID235	T5, suspended 1500x220 with louvre	2x35W
	TSDID249	T5, suspended 1500x220 with louvre	2x49W
	TSDID254	T5, suspended 1200x220 with louvre	2x54W

Available options




Jupiter Five - Inline LED

	IN120020/84	Extruded aluminium inline fixture 1176x67x90mm 2580lumen 4200K	20W
	IN120040/84	Extruded aluminium inline fixture 1176x67x90mm 4680lumen 4200K	40W
	IN120020/86	Extruded aluminium inline fixture 1176x67x90mm 2580lumen 6500K	20W
	IN120040/86	Extruded aluminium inline fixture 1176x67x90mm 4680lumen 6500K	40W
	INTC	Plastic inline T connector	-
	INLC	Plastic inline L connector	-
	INEC	Plastic inline End cap	-

Available options



Jupiter 65 - Surface IP65 Cleanroom luminaires

	TS414PRV/65	T5, surface 600x600 prismatic	4x14W
	TS424PRV/65	T5, surface 600x600 prismatic	4x24W
	TS414OP/65	T5, surface 600x600 opal	4x14W
	TS424OP/65	T5, surface 600x600 opal	4x24W

Available options



Product	Product Code	Description	Wattage
Jupiter 65 LED - Surface IP65 LED Cleanroom luminaires			
	TS412PR/65	Surface 600x600 prismatic with LED boards	4x12W
	TS422PR/65	Surface 600x600 prismatic with LED boards	4x22W
	TS412OP/65	Surface 600x600 opal with LED boards	4x12W
	TS422OP/65	Surface 600x600 opal with LED boards	4x22W
	Available options	    	
Jupiter Rack Light			
	JRL228	Surface/suspendable highly reflective racklight 1200mm	2x28W
	JRL235	Surface/suspendable highly reflective racklight 1500mm	2x35W
	JRL249	Surface/suspendable highly reflective racklight 1500mm	2x49W
	JRL280	Surface/suspendable highly reflective racklight 1500mm	2x80W
	JRL254	Surface/suspendable highly reflective racklight 1200mm	2x54W
Available options	   		
Jupiter Rack Light LED			
	JRL218	Surface/suspendable highly reflective racklight 1200mm with LED lamps	2x18W
	JRL225	Surface/suspendable highly reflective racklight 1500mm with LED lamps	2x25W
	JRL218/B	Surface/suspendable highly reflective racklight 1200mm less LED lamps	2x18W
	JRL225/B	Surface/suspendable highly reflective racklight 1500mm less LED lamps	2x25W
Pluto One - Surface T8 diffused luminaires			
 	TS136PR	T8, surface IP44 with prismatic cover	1x36W
	TS236PR	T8, surface IP44 with prismatic cover	2x36W
	TS158PR	T8, surface IP44 with prismatic cover	1x58W
	TS258PR	T8, surface IP44 with prismatic cover	2x58W
	TS136OP	T8, surface IP44 with opal cover	1x36W
	TS236OP	T8, surface IP44 with opal cover	2x36W
	TS158OP	T8, surface IP44 with opal cover	1x58W
	TS258OP	T8, surface IP44 with opal cover	2x58W
	TS136PPR	T8, surface IP44 with prismatic polycarbonate cover	1x36W
	TS236PPR	T8, surface IP44 with prismatic polycarbonate cover	2x36W
	TS158PPR	T8, surface IP44 with prismatic polycarbonate cover	1x58W
	TS258PPR	T8, surface IP44 with prismatic polycarbonate cover	2x58W
	TS136POP	T8, surface IP44 with opal polycarbonate cover	1x36W
	TS236POP	T8, surface IP44 with opal polycarbonate cover	2x36W
	TS158POP	T8, surface IP44 with opal polycarbonate cover	1x58W
	TS258POP	T8, surface IP44 with opal polycarbonate cover	2x58W
Available options	    		
Pluto One LED - Surface LED diffused luminaires			
	TS120PR	Surface IP44 1200mm with prismatic cover and LED tube	1x20W
	TS220PR	Surface IP44 1200mm with prismatic cover and LED tubes	2x20W
	TS125PR	Surface IP44 1500mm with prismatic cover and LED tube	1x25W
	TS225PR	Surface IP44 1500mm with prismatic cover and LED tubes	2x25W

Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Pluto One LED - Surface LED diffused luminaires (cont.)



TS120OP	Surface IP44 1200mm with opal cover and LED tube	1x20W
TS220OP	Surface IP44 1200mm with opal cover and LED tubes	2x20W
TS125OP	Surface IP44 1500mm with opal cover and LED tube	1x25W
TS225OP	Surface IP44 1500mm with opal cover and LED tubes	2x25W
TS120PPR	Surface IP44 1200mm with prismatic polycarbonate cover & LED tube	1x20W
TS220PPR	Surface IP44 1200mm with prismatic polycarbonate cover & LED tubes	2x20W
TS125PPR	Surface IP44 1500mm with prismatic polycarbonate cover & LED tube	1x25W
TS225PPR	Surface IP44 1500mm with prismatic polycarbonate cover & LED tubes	2x25W
TS120POP	Surface IP44 1200mm with opal polycarbonate cover and LED tube	1x20W
TS220POP	Surface IP44 1200mm with opal polycarbonate cover and LED tubes	2x20W
TS125POP	Surface IP44 1500mm with opal polycarbonate cover and LED tube	1x25W
TS225POP	Surface IP44 1500mm with opal polycarbonate cover and LED tubes	2x25W

Available options



Above can be sold less lamps but wired for LED

Pluto Two - Surface T5 diffused luminaires



TS128PR	T5, surface IP44 with prismatic cover	1x28W
TS228PR	T5, surface IP44 with prismatic cover	2x28W
TS154PR	T5, surface IP44 with prismatic cover	1x54W
TS254PR	T5, surface IP44 with prismatic cover	2x54W
TS135PR	T5, surface IP44 with prismatic cover	1x35W
TS135PR/MS	T5, surface IP44 with prismatic cover with inbuilt microwave sensor	1x35W
TS235PR	T5, surface IP44 with prismatic cover	2x35W
TS235PR/MS	T5, surface IP44 with prismatic cover with inbuilt microwave sensor	2x35W
TS149PR	T5, surface IP44 with prismatic cover	1x49W
TS149PR/MS	T5, surface IP44 with prismatic cover with inbuilt microwave sensor	1x49W
TS249PR	T5, surface IP44 with prismatic cover	2x49W
TS249PR/MS	T5, surface IP44 with prismatic cover with inbuilt microwave sensor	2x49W



TS128OP	T5, surface IP44 with opal cover	1x28W
TS228OP	T5, surface IP44 with opal cover	2x28W
TS154OP	T5, surface IP44 with opal cover	1x54W
TS254OP	T5, surface IP44 with opal cover	2x54W
TS135OP	T5, surface IP44 with opal cover	1x35W
TS135OP/MS	T5, surface IP44 with opal cover with inbuilt microwave sensor	1x35W
TS235OP	T5, surface IP44 with opal cover	2x35W
TS235OP/MS	T5, surface IP44 with opal cover with inbuilt microwave sensor	2x35W
TS149OP	T5, surface IP44 with opal cover	1x49W
TS149OP/MS	T5, surface IP44 with opal cover with inbuilt microwave sensor	1x49W
TS249OP	T5, surface IP44 with opal cover	2x49W
TS249OP/MS	T5, surface IP44 with opal cover with inbuilt microwave sensor	2x49W



TS128PPR	T5, surface IP44 with prismatic polycarbonate cover	1x28W
TS228PPR	T5, surface IP44 with prismatic polycarbonate cover	2x28W
TS154PPR	T5, surface IP44 with prismatic polycarbonate cover	1x54W
TS254PPR	T5, surface IP44 with prismatic polycarbonate cover	2x54W
TS135PPR	T5, surface IP44 with prismatic polycarbonate cover	1x35W
TS135PPR/MS	T5, surface IP44 with prismatic polycarbonate cover with inbuilt microwave sensor	1x35W
TS235PPR	T5, surface IP44 with prismatic polycarbonate cover	2x35W
TS235PPR/MS	T5, surface IP44 with prismatic polycarbonate cover with inbuilt microwave sensor	2x35W
TS149PPR	T5, surface IP44 with prismatic polycarbonate cover	1x49W
TS149PPR/MS	T5, surface IP44 with prismatic polycarbonate cover with inbuilt microwave sensor	1x49W
TS249PPR	T5, surface IP44 with prismatic polycarbonate cover	2x49W
TS249PPR/MS	T5, surface IP44 with prismatic polycarbonate cover with inbuilt microwave sensor	2x49W

Available options



Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Pluto Two - Surface T5 diffused luminaires (cont.)



TS128POP	T5, surface IP44 with opal polycarbonate cover	1x28W
TS228POP	T5, surface IP44 with opal polycarbonate cover	2x28W
TS154POP	T5, surface IP44 with opal polycarbonate cover	1x54W
TS254POP	T5, surface IP44 with opal polycarbonate cover	2x54W
TS135POP	T5, surface IP44 with opal polycarbonate cover	1x35W
TS135POP/MS	T5, surface IP44 with opal polycarbonate cover with inbuilt microwave sensor	1x35W
TS235POP	T5, surface IP44 with opal polycarbonate cover	2x35W
TS235POP/MS	T5, surface IP44 with opal polycarbonate cover with inbuilt microwave sensor	2x35W
TS149POP	T5, surface IP44 with opal polycarbonate cover	1x49W
TS149POP/MS	T5, surface IP44 with opal polycarbonate cover with inbuilt microwave sensor	1x49W
TS249POP	T5, surface IP44 with opal polycarbonate cover	2x49W
TS249POP/MS	T5, surface IP44 with opal polycarbonate cover with inbuilt microwave sensor	2x49W

Available options



Pluto Two LED - Surface LED diffused luminaires



TS40LEDPPR	Surface 1200mm IP44 with LED boards and prismatic polycarbonate cover	2x20W
TS60LEDPPR	Surface 1500mm IP44 with LED boards and prismatic polycarbonate cover	2x30W
TS40LEDPOP	Surface 1200mm IP44 with LED boards and opal polycarbonate cover	2x20W
TS60LEDPOP	Surface 1500mm IP44 with LED boards and opal polycarbonate cover	2x30W
TS35LEDPOP	Surface 1200mm IP44 with LED boards and opal polycarbonate cover	35W
TS55LEDPOP	Surface 1500mm IP44 with LED boards and opal polycarbonate cover	55W

Available options



Pluto Three - Surface diffused luminaires with grid




TSDE235	T5 1500mm surface with diffuser and louvre	2x35W
TSDE249	T5 1500mm surface with diffuser and louvre	2x49W
TSDE258	T5 1500mm surface with diffuser and louvre	2x58W

Available options



Pluto Three LED - LED Surface diffused luminaires with grid



TSDE225	Surface 1500mm 2x25W LED with lamps included	2x25W
---------	----------------------------------------------	-------

Pluto 54 - Surface IP54 diffused luminaires










TS158PR/IP54	T8 surface IP54 with prismatic cover	1x58W
TS158OP/IP54	T8 surface IP54 with opal cover	1x58W
TS258PR/IP54	T8 surface IP54 with prismatic cover	2x58W
TS258OP/IP54	T8 surface IP54 with opal cover	2x58W
TS170PR/IP54	T8 surface IP54 with prismatic cover	1x70W
TS170OP/IP54	T8 surface IP54 with opal cover	1x70W
TS270PR/IP54	T8 surface IP54 with prismatic cover	2x70W
TS270OP/IP54	T8 surface IP54 with opal cover	2x70W

Available options



Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Pluto 54 - Surface IP54 diffused luminaires (cont.)

	TS128PR/IP54	T5, surface IP54 with prismatic cover	1x28W
	TS228PR/IP54	T5, surface IP54 with prismatic cover	2x28W
	TS154PR/IP54	T5, surface IP54 with prismatic cover	1x54W
	TS254PR/IP54	T5, surface IP54 with prismatic cover	2x54W
	TS135PR/IP54	T5, surface IP54 with prismatic cover	1x35W
	TS135PR/IP54/MS	T5, surface IP54 with prismatic cover with inbuilt microwave sensor	1x35W
	TS235PR/IP54	T5, surface IP54 with prismatic cover	2x35W
	TS235PR/IP54/MS	T5, surface IP54 with prismatic cover with inbuilt microwave sensor	2x35W
	TS149PR/IP54	T5, surface IP54 with prismatic cover	1x49W
	TS149PR/IP54/MS	T5, surface IP54 with prismatic cover with inbuilt microwave sensor	1x49W
	TS128OP/IP54	T5, surface IP54 with opal cover	1x28W
	TS228OP/IP54	T5, surface IP54 with opal cover	2x28W
	TS154OP/IP54	T5, surface IP54 with opal cover	1x54W
	TS254OP/IP54	T5, surface IP54 with opal cover	2x54W
	TS135OP/IP54	T5, surface IP54 with opal cover	1x35W
	TS135OP/IP54/MS	T5, surface IP54 with opal cover with inbuilt microwave sensor	1x35W
	TS235OP/IP54	T5, surface IP54 with opal cover	2x35W
	TS235OP/IP54/MS	T5, surface IP54 with opal cover with inbuilt microwave sensor	2x35W
	TS149OP/IP54	T5, surface IP54 with opal cover	1x49W
	TS149OP/IP54/MS	T5, surface IP54 with opal cover with inbuilt microwave sensor	1x49W
Available options		    	

Pluto 54 LED - LED Surface IP54 diffused luminaires

	TS125PR/IP54	25W 1500mm with LED tube IP54 with prismatic cover	1x25W
	TS225PR/IP54	2x25W 1500mm with LED tubes IP54 with prismatic cover	2x25W
	TS125OP/IP54	25W 1500mm with LED tube IP54 with opal cover	1x25W
	TS225OP/IP54	2x25W 1500mm with LED tubes IP54 with opal cover	2x25W
	TS40PR/IP54	40W 1200mm with LED boards IP54 with prismatic cover	2x20W
	TS60PR/IP54	60W 1500mm with LED boards IP54 with prismatic cover	2x30W
	TS220P/IP54	22W 1200mm with LED boards IP54 with opal cover	22W
	TS40OP/IP54	40W 1200mm with LED boards IP54 with opal cover	2x20W
	TS44OP/IP54	44W 1200mm with LED boards IP54 with opal cover	44W
	TS55OP/IP54	55W 1500mm with LED boards IP54 with opal cover	55W
	TS60OP/IP54	60W 1500mm with LED boards IP54 with opal cover	2x30W
	Available options		    

Pluto Slim - Surface Slimline diffused luminaires

	TSL158PR	T8 surface with prismatic cover	1x58W
	TSL158OP	T8 surface with opal cover	1x58W
	TSL258PR	T8 surface with prismatic cover	2x58W
	TSL258OP	T8 surface with opal cover	2x58W
	TSL170PR	T8 surface with prismatic cover	1x70W
	TSL170OP	T8 surface with opal cover	1x70W
	TSL270PR	T8 surface with prismatic cover	2x70W
	TSL270OP	T8 surface with opal cover	2x70W
Available options		    	

Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Pluto Slim - Surface Slimline diffused luminaires (cont.)



TSL128PR	T5, surface with prismatic cover	1x28W
TSL228PR	T5, surface with prismatic cover	2x28W
TSL154PR	T5, surface with prismatic cover	1x54W
TSL254PR	T5, surface with prismatic cover	2x54W
TSL135PR	T5, surface with prismatic cover	1x35W
TSL135PR/MS	T5, surface with prismatic cover with inbuilt microwave sensor	1x35W
TSL235PR	T5, surface with prismatic cover	2x35W
TSL235PR/MS	T5, surface with prismatic cover with inbuilt microwave sensor	2x35W
TSL149PR	T5, surface with prismatic cover	1x49W
TSL149PR/MS	T5, surface with prismatic cover with inbuilt microwave sensor	1x49W
TSL249PR	T5, surface with prismatic cover	2x49W
TSL249PR/MS	T5, surface with prismatic cover with inbuilt microwave sensor	2x49W



TSL128OP	T5, surface with opal cover	1x28W
TSL228OP	T5, surface with opal cover	2x28W
TSL154OP	T5, surface with opal cover	1x54W
TSL254OP	T5, surface with opal cover	2x54W
TSL135OP	T5, surface with opal cover	1x35W
TSL135OP/MS	T5, surface with opal cover with inbuilt microwave sensor	1x35W
TSL235OP	T5, surface with opal cover	2x35W
TSL235OP/MS	T5, surface with opal cover with inbuilt microwave sensor	2x35W
TSL149OP	T5, surface with opal cover	1x49W
TSL149OP/MS	T5, surface with opal cover with inbuilt microwave sensor	1x49W
TSL249OP	T5, surface with opal cover	2x49W
TSL249OP/MS	T5, surface with opal cover with inbuilt microwave sensor	2x49W

Available options



Mars One - T8 batten



TB136	1200mm single lamp T8 batten	1x36W
TB236	1200mm twin lamp T8 batten	2x36W
TB158	1500mm single lamp T8 batten	1x58W
TB258	1500mm twin lamp T8 batten	2x58W
TB170	1800mm single lamp T8 batten	1x70W
TB270	1800mm twin lamp T8 batten	2x70W
FLU136SS	Com Lite 1200mm single lamp T8 batten switchstart LPF	1x36W
FLU158SS	Com Lite 1500mm single lamp T8 batten switchstart LPF	1x58W

Available options



Mars One LED - T8 batten for T8 LED lamps





BAT4SLED/B	4ft single batten wired for 18W LED lamp	1x18W
BAT4TLED/B	4ft twin batten wired for two 18W LED lamps	2x18W
BAT5SLED/B	5ft single batten wired for 25W LED lamp	1x25W
BAT5TLED/B	5ft twin batten wired for two 25W LED lamps	2x25W
BAT6SLED/B	6ft single batten wired for 28W LED lamp	1x28W
BAT6TLED/B	6ft twin batten wired for two 28W LED lamps	2x28W

Above battens are wired single ended. If different wiring configuration is required please specify.

BAT4SLED	4ft single batten with 18W LED lamp	1x18W
BAT4TLED	4ft twin batten with two 18W LED lamps	2x18W
BAT5SLED	5ft single batten with 25W LED lamp	1x25W
BAT5TLED	5ft twin batten with two 25W LED lamps	2x25W
BAT6SLED	6ft single batten with 28W LED lamp	1x28W
BAT6TLED	6ft twin batten with two 28W LED lamps	2x28W

Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Mars One - T8 batten Accessories

	DIF4SPR	1200mm clear prismatic single lamp diffuser	-	
	DIF4TPR	1200mm clear prismatic twin lamp diffuser	-	
	DIF5SPR	1500mm clear prismatic single lamp diffuser	-	
	DIF5TPR	1500mm clear prismatic twin lamp diffuser	-	
	DIF6SPR	1800mm clear prismatic single lamp diffuser	-	
	DIF6TPR	1800mm clear prismatic twin lamp diffuser	-	
	DIF4SOP	1200mm opal single lamp diffuser	-	
	DIF4TOP	1200mm opal twin lamp diffuser	-	
	DIF5SOP	1500mm opal single lamp diffuser	-	
	DIF5TOP	1500mm opal twin lamp diffuser	-	
		TARF58	1x58W/2x58W aluminium reflector	-
		TARF70	1x70W/2x70W aluminium reflector	-
TRF58		1x58W/2x58W white reflector	-	
TRF70		1x70W/2x70W white reflector	-	


Mars Two - T5 slimline batten

	TSB114	600mm single lamp slimline T5 batten	1x14W
	TSB214	600mm twin lamp slimline T5 batten	2x14W
	TSB121	900mm single lamp slimline T5 batten	1x21W
	TSB221	900mm twin lamp slimline T5 batten	2x21W
	TSB128	1200mm single lamp slimline T5 batten	1x28W
	TSB228	1200mm twin lamp slimline T5 batten	2x28W
	TSB154	1200mm single lamp slimline T5 batten	1x54W
	TSB254	1200mm twin lamp slimline T5 batten	2x54W
	TSB135	1500mm single lamp slimline T5 batten	1x35W
	TSB235	1500mm twin lamp slimline T5 batten	2x35W
	TSB149	1500mm single lamp slimline T5 batten	1x49W
	TSB249	1500mm twin lamp slimline T5 batten	2x49W
	TSB180	1500mm single lamp slimline T5 batten	1x80W
	TSB280	1500mm twin lamp slimline T5 batten	2x80W

Available options



Mars Two - T5 batten Accessories

	DIF128PR	1200mm single lamp clear prismatic diffuser	28W/54W
	DIF149PR	1500mm single lamp clear prismatic diffuser	35W/49W
	DIF228PR	1200mm twin lamp clear prismatic diffuser	28W/54W
	DIF249PR	1500mm twin lamp clear prismatic diffuser	35W/49W
	DIF128OP	1200mm single lamp opal diffuser	28W/54W
	DIF228OP	1200mm twin lamp opal diffuser	28W/54W
	DIF149OP	1500mm single lamp opal diffuser	35W/49W
	DIF249OP	1500mm twin lamp opal diffuser	35W/49W
	ARF28	Aluminium 1200mm reflector	28W/54W
	ARF49	Aluminium 1500mm reflector	35W/49W/80W
	RF28	White 1200mm reflector	28W/54W
	RF49	White 1500mm reflector	35W/49W/80W

Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Mars Three - T5 batten in T8 size body



TB114	600mm single lamp T5 batten	1x14W
TB214	600mm twin lamp T5 batten	2x14W
TB128	1200mm single lamp T5 batten	1x28W
TB128/MS	1200mm single lamp T5 batten with microwave sensor	1x28W
TB228	1200mm twin lamp T5 batten	2x28W
TB228/MS	1200mm twin lamp T5 batten with microwave sensor	2x28W
TB154	1200mm single lamp T5 batten	1x54W
TB154/MS	1200mm single lamp T5 batten with microwave sensor	1x54W
TB254	1200mm twin lamp T5 batten	2x54W
TB254/MS	1200mm twin lamp T5 batten with microwave sensor	2x54W
TB135	1500mm single lamp T5 batten	1x35W
TB135/MS	1500mm single lamp T5 batten with microwave sensor	1x35W
TB235	1500mm twin lamp T5 batten	2x35W
TB235/MS	1500mm twin lamp T5 batten with microwave sensor	2x35W
TB149	1500mm single lamp T5 batten	1x49W
TB149/MS	1500mm single lamp T5 batten with microwave sensor	1x49W
TB249	1500mm twin lamp T5 batten	2x49W
TB249/MS	1500mm twin lamp T5 batten with microwave sensor	2x49W
TB180	1500mm single lamp T5 batten	1x80W
TB180/MS	1500mm single lamp T5 batten with microwave sensor	1x80W
TB280	1500mm twin lamp T5 batten	2x80W
TB280/MS	1500mm twin lamp T5 batten with microwave sensor	2x80W

Available options



Mars One Accessories are suitable to use with this range

Mars Four - linkable LED battens



LL3W/83	3W LED linkable batten, 300mm 3000K, 225 lumen	3W
LL6W/83	6W LED linkable batten, 600mm 3000K, 450 lumen	6W
LL10W/83	10W LED linkable batten, 900mm 3000K, 750 lumen	10W
LL14W/83	14W LED linkable batten, 1200mm 3000K, 1050 lumen	14W
LL3W/84	3W LED linkable batten, 300mm 4000K, 225 lumen	3W
LL6W/84	6W LED linkable batten, 600mm 4000K, 450 lumen	6W
LL10W/84	10W LED linkable batten, 900mm 4000K, 750 lumen	10W
LL14W/84	14W LED linkable batten, 1200mm 4000K, 1050 lumen	14W

Mars Five - LED light bars



LB60010/84	10W LED lightbar less driver 4000K, 553mm	10W
LB60010/86	10W LED lightbar less driver 6500K, 553mm	10W
LB60020/84	20W LED lightbar less driver 4000K, 553mm	20W
LB60020/86	20W LED lightbar less driver 6500K, 553mm	20W
LB120020/84	20W LED lightbar less driver 4000K, 1153mm	20W
LB120020/86	20W LED lightbar less driver 6500K, 1153mm	20W
LB120050/84	50W LED lightbar less driver 4000K, 1153mm	50W
LB120050/86	50W LED lightbar less driver 6500K, 1153mm	50W
LB150030/84	30W LED lightbar less driver 4000K, 1453mm	30W
LB150030/86	30W LED lightbar less driver 6500K, 1453mm	30W
LB150060/84	60W LED lightbar less driver 4000K, 1453mm	60W
LB150060/86	60W LED lightbar less driver 6500K, 1453mm	60W

Available options



Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Neptune One - Recessed single lamp downlights



TDL118	Medium diameter (190mm) downlight with no glass	1x18W
TDL126	Medium diameter (190mm) downlight with no glass	1x26W
TDL13242	Medium diameter (190mm) downlight with no glass	1x32W/42W
TDL118DG	Medium diameter (190mm) downlight with drop glass	1x18W
TDL126DG	Medium diameter (190mm) downlight with drop glass	1x26W
TDL13242DG	Medium diameter (190mm) downlight with drop glass	1x32W/42W
TDL118SG	Medium diameter (190mm) downlight with sunken glass IP44	1x18W
TDL126SG	Medium diameter (190mm) downlight with sunken glass IP44	1x26W

Available options



Neptune Two - Recessed double lamp downlights



TDL213C2	Medium diameter (190mm) downlight with CAT2 louvre	2x13W
TDL218C2	Medium diameter (190mm) downlight with CAT2 louvre	2x18W
TDL226C2	Medium diameter (190mm) downlight with CAT2 louvre	2x26W
TDL213	Medium diameter (190mm) downlight with no glass	2x13W
TDL218	Medium diameter (190mm) downlight with no glass	2x18W
TDL226	Medium diameter (190mm) downlight with no glass	2x26W
TDL23242	Large diameter (230mm) downlight with no glass	2x32/42W
TDL213DG	Medium diameter (190mm) downlight with drop glass	2x13W
TDL218DG	Medium diameter (190mm) downlight with drop glass	2x18W
TDL226DG	Medium diameter (190mm) downlight with drop glass	2x26W
TDL23242DG	Large diameter (230mm) downlight with drop glass	2x32/42W
TDL213SG	Medium diameter (190mm) downlight with sunken glass IP44	2x13W
TDL218SG	Medium diameter (190mm) downlight with sunken glass IP44	2x18W
TDL226SG	Medium diameter (190mm) downlight with sunken glass IP44	2x26W

Available options



Neptune Three - Recessed and Surface LED circular panels



TDL8WLED/83	8W LED panel, colour 3200K, c/o 133mmx20mm d, 640lm	8W
TDL12WLED/83	12W LED panel, colour 3200K, c/o 160mmx20mm d, 960lm	12W
TDL18WLED/83	18W LED panel, colour 3200K, c/o 225mmx20mm d, 1440lm	18W
TDL24WLED/83	24W LED panel, colour 3200K, c/o 285mmx20mm d, 1990lm	24W
TDL8WDGLED/83	LED panel with dropglass, colour 3200K, c/o 133mmx20mm d, 640lm	8W
TDL12WDGLED/83	LED panel with dropglass, colour 3200K, c/o 160mmx20mm d, 960lm	12W
TDL18WDGLED/83	LED panel with dropglass, colour 3200K, c/o 225mmx20mm d, 1440lm	18W
TDL24WDGLED/83	LED panel with dropglass, colour 3200K, c/o 285mmx20mm d, 1990lm	24W
TDL8WLED/84	8W LED panel, colour 4200K, c/o 133mmx20mm d, 640lm	8W
TDL12WLED/84	12W LED panel, colour 4200K, c/o 160mmx20mm d, 960lm	12W
TDL18WLED/84	18W LED panel, colour 4200K, c/o 225mmx20mm d, 1440lm	18W
TDL24WLED/84	24W LED panel, colour 4200K, c/o 285mmx20mm d, 1990lm	24W
TDL8WDGLED/84	LED panel with dropglass, colour 4200K, c/o 133mmx20mm d, 640lm	8W
TDL12WDGLED/84	LED panel with dropglass, colour 4200K, c/o 160mmx20mm d, 960lm	12W
TDL18WDGLED/84	LED panel with dropglass, colour 4200K, c/o 225mmx20mm d, 1440lm	18W
TDL24WDGLED/84	LED panel with dropglass, colour 4200K, c/o 285mmx20mm d, 1990lm	24W
TDL8WLED/86	8W LED panel, colour 6500K, c/o 133mmx20mm d, 640lm	8W
TDL12WLED/86	12W LED panel, colour 6500K, c/o 160mmx20mm d, 960lm	12W
TDL18WLED/86	18W LED panel, colour 6500K, c/o 225mmx20mm d, 1440lm	18W
TDL24WLED/86	24W LED panel, colour 6500K, c/o 285mmx20mm d, 1990lm	24W

Available options



Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Neptune Three - Recessed and Surface LED circular panels (cont.)



TDL8WDGLED/86	LED panel with dropglass, colour 6500K, c/o 133mmx20mm d, 640lm	8W
TDL12WDGLED/86	LED panel with dropglass, colour 6500K, c/o 160mmx20mm d, 960lm	12W
TDL18WDGLED/86	LED panel with dropglass, colour 6500K, c/o 225mmx20mm d, 1440lm	18W
TDL24WDGLED/86	LED panel with dropglass, colour 6500K, c/o 285mmx20mm d, 1990lm	24W
TSDL15WLED/83	Surface panel, colour 830 240mm diameter 1200lm	15W
TSDL15WLED/84	Surface panel, colour 840 240mm diameter 1200lm	15W
TSDL15WLED/86	Surface panel, colour 860 240mm diameter 1200lm	15W

Available options



Neptune Four - Recessed LED IP44 rated downlights



LD12SG	12W recessed LED downlight with sunken glass 100mm diameter 4000K	12W
LD18SG	18W recessed LED downlight with sunken glass 180mm diameter 4000K	18W
LD30SG	30W recessed LED downlight with sunken glass 230m diameter 4000K	30W
LD12SG/83	12W recessed LED downlight with sunken glass 100mm diameter 3000K	12W
LD18SG/83	18W recessed LED downlight with sunken glass 180mm diameter 3000K	18W
LD30SG/83	30W recessed LED downlight with sunken glass 230m diameter 3000K	30W
LD12SG/86	12W recessed LED downlight with sunken glass 100mm diameter 6500K	12W
LD18SG/86	18W recessed LED downlight with sunken glass 180mm diameter 6500K	18W
LD30SG/86	30W recessed LED downlight with sunken glass 230m diameter 6500K	30W

Available options



Neptune Five - Recessed Plastic LED IP44 rated downlights



LDP5W/83	LED downlight with pmma cover 100mm diameter 3200K, 375lm	5W
LDP7W/83	LED downlight with pmma cover 118mm diameter 3200K, 525lm	7W
LDP9W/83	LED downlight with pmma cover 145mm diameter 3200K, 675lm	9W
LDP12W/83	LED downlight with pmma cover 180mm diameter 3200K, 900lm	12W
LDP5WSC/83	LED satin chrome downlight with pmma cover 100mm diameter 3200K, 375lm	5W
LDP7WSC/83	LED satin chrome downlight with pmma cover 118mm diameter 3200K, 525lm	7W
LDP9WSC/83	LED satin chrome downlight with pmma cover 145mm diameter 3200K, 675lm	9W
LDP12WSC/83	LED satin chrome downlight with pmma cover 180mm diameter 3200K, 900lm	12W



LDP5W/84	LED downlight with pmma cover 100mm diameter 4200K, 375lm	5W
LDP7W/84	LED downlight with pmma cover 118mm diameter 4200K, 525lm	7W
LDP9W/84	LED downlight with pmma cover 145mm diameter 4200K, 675lm	9W
LDP12W/84	LED downlight with pmma cover 180mm diameter 4200K, 900lm	12W
LDP5WSC/84	LED satin chrome downlight with pmma cover 100mm diameter 4200K, 375lm	5W
LDP7WSC/84	LED satin chrome downlight with pmma cover 118mm diameter 4200K, 525lm	7W
LDP9WSC/84	LED satin chrome downlight with pmma cover 145mm diameter 4200K, 675lm	9W
LDP12WSC/84	LED satin chrome downlight with pmma cover 180mm diameter 4200K, 900lm	12W



LDP5W/86	LED downlight with pmma cover 100mm diameter 6500K, 375lm	5W
LDP7W/86	LED downlight with pmma cover 118mm diameter 6500K, 525lm	7W
LDP9W/86	LED downlight with pmma cover 145mm diameter 6500K, 675lm	9W
LDP12W/86	LED downlight with pmma cover 180mm diameter 6500K, 900lm	12W
LDP5WSC/86	LED satin chrome downlight with pmma cover 100mm diameter 6500K, 375lm	5W
LDP7WSC/86	LED satin chrome downlight with pmma cover 118mm diameter 6500K, 525lm	7W
LDP9WSC/86	LED satin chrome downlight with pmma cover 145mm diameter 6500K, 675lm	9W
LDP12WSC/86	LED satin chrome downlight with pmma cover 180mm diameter 6500K, 900lm	12W

Available options



Product	Product Code	Description	Wattage	
Neptune Six - Recessed LED COB downlights				
	TCDL5WLED/83	5W COB downlight 103mm diameter 3200K	5W	
	TCDL15WLED/83	15W COB downlight 170mm diameter 3200K	15W	
	TCDL28WLED/83	28W COB downlight 224mm diameter 3200K	28W	
	TCDL5WLED/84	5W COB downlight 103mm diameter 4200K	5W	
	TCDL15WLED/84	15W COB downlight 170mm diameter 4200K	15W	
	TCDL28WLED/84	28W COB downlight 224mm diameter 4200K	28W	
	TCDL5WLED/86	5W COB downlight 103mm diameter 6500K	5W	
	TCDL15WLED/86	15W COB downlight 170mm diameter 6500K	15W	
	TCDL28WLED/86	28W COB downlight 224mm diameter 6500K	28W	
	Available options	   		
	Neptune 65 - Recessed IP65 rated downlights			
		TDL226/65	Large diameter (230mm) downlight IP65	2x26W
Available options		   		
Neptune 65 LED - Recessed LED IP65 rated downlights				
	TDL16WLED/65	16W LED IP65 downlight	16W	
	TDL22WLED/65	22W LED IP65 downlight	22W	
	Available options	   		
Sunex LED - Recessed and Surface LED track and spotlights				
	WW15LED	Recessed 15W wallwasher 4200K	15W	
	WW25LED	Recessed 25W wallwasher 4200K	25W	
	WW30LED	Recessed 30W wallwasher 4200K	30W	
	WW15LED/83	Recessed 15W wallwasher 3200K	15W	
	WW25LED/83	Recessed 25W wallwasher 3200K	25W	
	WW30LED/83	Recessed 30W wallwasher 3200K	30W	
	WW15LED/86	Recessed 15W wallwasher 6500K	15W	
	WW25LED/86	Recessed 25W wallwasher 6500K	25W	
	WW30LED/86	Recessed 30W wallwasher 6500K	30W	
	SWW25LED/83	Scoop recessed 25W wallwasher 3000K	25W	
	SWW25LED/84	Scoop recessed 25W wallwasher 4000K	25W	
	SWW25LED/86	Scoop recessed 25W wallwasher 6500K	25W	
	TTSP24WLED/83	Track spotlight 24W colour 3200K	24W	
	TTSP24WLED/86	Track spotlight 24W colour 6500K	24W	
	TT1000	Tegral track 1000mm	-	
	TT1500	Tegral track 1500mm	-	
	TTIC	Tegral track I type connector	-	
	TTCC	Tegral track cross type connector	-	
RDL115W/83	1x15W COB recessed square directional light (160x160x176) 3000K	15W		
RDL215W/83	2x15W COB recessed square directional light (280x160x176) 3000K	30W		
RDL315W/83	3x15W COB recessed square directional light (395x160x176) 3000K	45W		
Available options	   			

Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Sunex LED - Recessed and Surface LED track and spotlights (cont.)



RDL115W/84	1x15W COB recessed square directional light (160x160x176) 4000K	15W
RDL215W/84	2x15W COB recessed square directional light (280x160x176) 4000K	30W
RDL315W/84	3x15W COB recessed square directional light (395x160x176) 4000K	45W

Available options



Emergency Lighting



EBHM	Maintained IP65 bulkhead	8W
EBHNM	Non maintained IP65 bulkhead	8W
EBHML	Maintained/Non maintained LED bulkhead	3W
EBHM/A	Maintained IP65 bulkhead for use with accessories	8W
EBHNM/A	Non maintained IP65 bulkhead for use with accessories	8W
EBHML/A	Maintained/Non maintained LED bulkhead for use with accessories	3W



REBH	Recessed frame for bulkhead	-
REBHL	Recessed frame with legend for bulkhead (arrow down)	-
REBHL/L	Left/Right legend for recessed frame	-
CEXIT	Surface cone for bulkhead with sticker legend	-



EXITM	Maintained exitbox LED	-
DEXITM	White maintained (decorative)	LED
DSCEXITM	Satin/chrome maintained (decorative)	LED
EXITM	Maintained exitbox	8W
LGDL	Left legend for above exitboxes	-
LGDR	Right legend for above exitboxes	-
EXITM/65	IP65 maintained exitbox	8W
EXITMLED/65	IP65 LED maintained exitbox	-
LGDL/65	Left legend for above exitboxes	-
LGDR/65	Right legend for above exitboxes	-



HEXITLED	Hanging LED legend	3W
HEXIT/L	Left legend for hanging LED	-
HEXIT/R	Right legend for hanging LED	-
HBLLED	Surface mounted LED blade wall or ceiling mounted	-
HBLGD/L	Left legend for surface mounted blade	-
HBLGD/R	Right legend for surface mounted blade	-



TWINSPLLED	LED twinspace	2x3W
TWINSPPC	LED Polycarbonate twinspace	2x3W
TWINSPL65	LED IP65 twinspace	2x3W

Emergency Lighting - Inverter Packs



EPMW/B	Multiwatt inverter	18W/36W/58W
EP1	58W European branded inverter	58W
EP2	35W/49W European branded inverter	35W/49W
EP3	58W/70W T8 European branded inverter	58W/70W
EP4	54W/80W T5 European branded inverter	54W/80W
EP1LED	LED emergency inverter for units with external driver (battery inc)	
EP2LED	LED emergency inverter for units with internal driver (battery inc), GU10 LED lamps etc	

Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Emergency Lighting - Inverter Batteries



BATT2	2 cell stick Ni-cad battery	-
BATT2/A	2 cell side by side Ni-cad battery	-
BATT3	3 cell stick Ni-cad battery	-
BATT4	4 cell stick Ni-cad battery	-
BATT5	5 cell stick Ni-cad battery	-
BATT6	6 cell stick Ni-cad battery	-

Emergency Lighting - Remote LED emergency



EPACK/LED	Remote LED non maintained downlight - Miniature panel	3W
EPACK/LED1	Remote LED non maintained downlight - Combined unit	3W
EPACK/LED2	Standalone LED non maintained downlight - Satin chrome head	3W
EPACK/LED3	Standalone LED non maintained downlight - White head	3W
EPACK/LED4	Remote LED non maintained downlight	4W
EPACK/LED5	Remote LED non maintained downlight	5W

Accessories

F/SOCK	Firesock for use with inverters and batteries	-
FTB1	3 port fuse block	-
FTB2	4 port fuse block	-

Starlite One - Warehouse and Sports hall lighting



TSP249	1500mm 2 lamp suspended fixture with wireguard	2x49W
TSP349	1500mm 3 lamp suspended fixture with wireguard	3x49W
TSP449	1500mm 4 lamp suspended fixture with wireguard	4x49W
TSP280	1500mm 2 lamp suspended fixture with wireguard	2x80W
TSP380	1500mm 3 lamp suspended fixture with wireguard	3x80W
TSP480	1500mm 4 lamp suspended fixture with wireguard	4x80W
TSP249C	1500mm 2 lamp suspended fixture with clear cover	2x49W
TSP349C	1500mm 3 lamp suspended fixture with clear cover	3x49W
TSP449C	1500mm 3 lamp suspended fixture with clear cover	4x49W
TSP280C	1500mm 2 lamp suspended fixture with clear cover	2x80W
TSP380C	1500mm 3 lamp suspended fixture with clear cover	3x80W
TSP480C	1500mm 4 lamp suspended fixture with clear cover	4x80W

Available options



Starlite One LED - LED Warehouse and Sports hall lighting























TSP260	1500mm suspended LED fixture with wireguard	2x60W
TSP330	1500mm suspended LED fixture with wireguard	3x30W
TSP360	1500mm suspended LED fixture with wireguard	3x60W
TSP260C	1500mm suspended LED fixture with clear cover	2x60W
TSP330C	1500mm suspended LED fixture with clear cover	3x30W
TSP360C	1500mm suspended LED fixture with clear cover	3x60W

Available options



Product	Product Code	Description	Wattage
Starlite Two - Warehouse low energy lighting			
	TWL454	1200x400mm suspended fixture with clear cover	4x54W
	TWL654	1200x600mm suspended fixture with clear cover	6x54W
	TWL455	600x600mm lowbay fixture with clear cover	4x55W
	TWL455/A	Traditional shoebox shape lowbay with clear cover	4x55W
	TWL454/SN	1200x400mm suspended fixture with clear cover and sensor	4x54W
	TWL654/SN	1200x600mm suspended fixture with clear cover and sensor	6x54W
Available options	   		
Starlite Two LED - Warehouse LED low energy lighting			
	TWL450	1200x400mm suspended fixture with clear cover	4x50W
	TWL822	1200x400mm suspended fixture with clear cover	8x22W
	TWL1222	1200x600mm suspended fixture with clear cover	12x22W
	TWL420	600x600mm lowbay fixture with clear cover	4x20W
	TWL422	600x600mm lowbay fixture with clear cover	4x22W
	TWL450/SN	1200x400mm suspended fixture with clear cover and sensor	4x50W
TWL822/SN	1200x400mm suspended fixture with clear cover and sensor	8x22W	
TWL1222/SN	1200x600mm suspended fixture with clear cover and sensor	12x22W	
Available options	   		
Starlite 54 - Warehouse low energy lighting			
	TWL454/IP54	1200x400mm suspended fixture with clear cover	4x54W
	TWL654/IP54	1200x600mm suspended fixture with clear cover	6x54W
	TWL454/IP54/SN	1200x400mm suspended fixture with clear cover and sensor	4x54W
	TWL654/IP54/SN	1200x600mm suspended fixture with clear cover and sensor	6x54W
Available options	   		
Starlite 54 LED - Warehouse LED low energy lighting			
	TWL450/IP54	1200x400mm suspended fixture with clear cover IP54 rated	4x50W
	TWL822/IP54	1200x400mm suspended fixture with clear cover IP54 rated	8x22W
	TWL450/IP54/SN	1200x400mm suspended fixture with clear cover and sensor IP54 rated	4x50W
	TWL822/IP54/SN	1200x400mm suspended fixture with clear cover and sensor IP54 rated	8x22W
Available options	   		
Starlite 65 - Warehouse low energy IP65 lighting			
	TWL454/65	1200x600mm IP65 highbay	4x54W
	TWL654/65	1200x600mm IP65 highbay	6x54W
	TWL454/65/MS	1200x600mm IP65 highbay with inbuilt microwave sensor	4x54W
	TWL654/65/MS	1200x600mm IP65 highbay with inbuilt microwave sensor	6x54W
	TWLR454/65	1200x600mm IP65 highbay with high output reflector	4x54W
	TWLR654/65	1200x600mm IP65 highbay with high output reflector	6x54W
	TWLR454/65/MS	1200x600mm IP65 highbay with high output reflector and sensor	4x54W
	TWLR654/65/MS	1200x600mm IP65 highbay with high output reflector and sensor	6x54W
Available options	   		

Product	Product Code	Description	Wattage
Starlite 65 LED - Warehouse LED low energy IP65 lighting			
	TWL450/65	1200x600mm LED IP highbay	4x50W
	TWL650/65	1200x600mm LED IP highbay	6x50W
	TWL450/65/MS	1200x600mm LED IP highbay with inbuilt microwave sensor	4x50W
	TWL650/65/MS	1200x600mm LED IP highbay with inbuilt microwave sensor	6x50W
	Available options	   	
Starlite 65 LED V2 - Warehouse low energy LED IP65 lighting			
	HB200WLED	200W LED dome highbay	200W
	Available options	   	
Starlite 65 V3 - Warehouse low energy IP65 lighting			
	TWL449V3/65	1500mm IP65 highbay with tempered glass	4x49W
	TWL480V3/65	1500mm IP65 highbay with tempered glass	4x80W
	TWL449V3/65/SN	1500mm IP65 highbay with tempered glass and sensor	4x49W
	TWL480V3/65/SN	1500mm IP65 highbay with tempered glass and sensor	4x80W
	Available options	   	
Starlite 65 LED V3 - Warehouse low energy IP65 lighting			
	TWL170V3/65	1200mm LED IP65 highbay with tempered glass	170W
	TWL170V3/65/SN	1200mm IP65 highbay with tempered glass and sensor	170W
	Available options	   	
Tegral 65 - IP65 fluorescents			
	T118/65	600mm T8 single lamp IP65	1x18W
	T218/65	600mm T8 twin lamp IP65	2x18W
	T136/65	1200mm T8 single lamp IP65	1x36W
	T236/65	1200mm T8 twin lamp IP65	2x36W
	T158/65	1500mm T8 single lamp IP65	1x58W
	T258/65	1500mm T8 twin lamp IP65	2x58W
	T258/65/MS	1500mm T8 twin lamp IP65 with inbuilt sensor	2x58W
	T170/65	1800mm T8 single lamp IP65	1x70W
	T270/65	1800mm T8 twin lamp IP65	2x70W
	Available options	   	

Product	Product Code	Description	Wattage	
Tegral 65 - IP65 fluorescents (cont.)				
	T114/65	600mm T5 single lamp IP65	1x14W	
	T214/65	600mm T5 twin lamp IP65	2x14W	
	T128/65	1200mm T5 single lamp IP65	1x28W	
	T228/65	1200mm T5 twin lamp IP65	2x28W	
	T135/65	1500mm T5 single lamp IP65	1x35W	
	T235/65	1500mm T5 twin lamp IP65	2x35W	
	T235/65/MS	1500mm T5 twin lamp IP65 with inbuilt sensor	2x35W	
	T149/65	1500mm T5 single lamp IP65	1x49W	
	T249/65	1500mm T5 twin lamp IP65	2x49W	
	T249/65/MS	1500mm T5 twin lamp IP65 with inbuilt sensor	2x49W	
	T154/65	1200mm T5 single lamp IP65	1x54W	
	T254/65	1200mm T5 twin lamp IP65	2x54W	
	T114WB/65	600mm T5 single lamp IP65 (Wide body)	1x14W	
	T214WB/65	600mm T5 twin lamp IP65 (Wide body)	2x14W	
	T128WB/65	1200mm T5 single lamp IP65 (Wide body)	1x28W	
	T228WB/65	1200mm T5 twin lamp IP65 (Wide body)	2x28W	
	T135WB/65	1500mm T5 single lamp IP65 (Wide body)	1x35W	
	T235WB/65	1500mm T5 twin lamp IP65 (Wide body)	2x35W	
	T149WB/65	1500mm T5 single lamp IP65 (Wide body)	1x49W	
	T249WB/65	1500mm T5 twin lamp IP65 (Wide body)	2x49W	
T154WB/65	1200mm T5 single lamp IP65 (Wide body)	1x54W		
T254WB/65	1200mm T5 twin lamp IP65 (Wide body)	2x54W		
CP111	Single lamp mini bulkhead IP65	1x11W		
CP126	Single lamp mini bulkhead IP65	1x26W		
CP211	Twin lamp mini bulkhead IP65	2x11W		
CP226	Twin lamp mini bulkhead IP65	2x26W		
Available options				

Tegral 65 LED - IP65 LED fluorescents					
	T2S/65LED/B	600mm LED single wired for LED lamps IP65	1x8W		
	T2T/65LED/B	600mm LED twin wired for LED lamps IP65	2x8W		
	T4S/65LED/B	1200mm LED single wired for LED lamps IP65	1x18W		
	T4T/65LED/B	1200mm LED twin wired for LED lamps IP65	2x18W		
	T5S/65LED/B	1500mm LED single wired for LED lamps IP65	1x25W		
	T5T/65LED/B	1500mm LED twin wired for LED lamps IP65	2x25W		
	T6S/65LED/B	1800mm LED single wired for LED lamps IP65	1x28W		
	T6T/65LED/B	1800mm LED twin wired for LED lamps IP65	2x28W		
	T2S/65LED	600mm LED single with lamp IP65	1x8W		
	T2T/65LED	600mm LED twin with lamps IP65	2x8W		
	T4S/65LED	1200mm LED single with lamp IP65	1x18W		
	T4T/65LED	1200mm LED twin with lamps IP65	2x18W		
	T5S/65LED	1500mm LED single with lamp IP65	1x25W		
	T5T/65LED	1500mm LED twin with lamps IP65	2x25W		
	T6S/65LED	1800mm LED single with lamp IP65	1x28W		
	T6T/65LED	1800mm LED twin with lamps IP65	2x28W		
	T30WLED/65	Tegral 65 LED with boards prismatic cover 1500mm single IP65	30W		
	T55WLED/65	Tegral 65 LED with boards prismatic cover 1500mm twin IP65	55W		
	Available options				

Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Saturn One - Polycarbonate Floodlights



PFL70	Polycarbonate floodlight, IP65, RX7S, HPS/HQI	70W
PFL150	Polycarbonate floodlight, IP65, RX7S, HPS/HQI	150W
PFLMW	Polycarbonate floodlight, IP65, for 2x26W/32W/42W	2x26W/32W/42W
PFL4MW	Polycarbonate floodlight, IP65, for 2x26W/32W/42W	2x26W/32W/42W


Saturn One LED - LED Floodlights



FL30WLED	Diecast LED floodlight with heat sink	30W
FL50WLED	Diecast LED floodlight with heat sink	50W



Saturn Two - Amenity Bulkheads



BHMW	Amenity bulkhead for 26W/32W/42W	26W/32W/42W
------	----------------------------------	-------------

Saturn Two LED - Amenity LED Bulkheads and bollards



AMBHOP/LED	Amenity LED bulkhead with opal cover	30W
AMBH/LED	Amenity LED bulkhead with clear cover	30W
B15WLED/750	750mm 15W LED bollard 6500K	15W

Orbit One - 2D type bulkheads



T16W2D	Circular 16W 2D IP54 with lamp	16W
T28W2D/MS	Circular 28W 2D IP54 with lamp and microwave sensor, 320mm diameter	28W
T28W2D	Circular 28W 2D IP54 with lamp, 320mm diameter	28W
T38W2D	Circular 38W 2D IP54 with lamp, 320mm diameter	38W
C16/BRING	Brass ring for 16W 2D C16W2D	-
C16/CRING	Chrome ring for 16W 2D C16W2D	-
BR/RING	Brass ring for 28W/38W 2D C28W2D/C38W2D	-
CR/RING	Chrome ring for 28W/38W 2D C28W2D/C38W2D	-

Available options



Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Orbit One LED - LED bulkheads



C14WLED	LED bulkhead with European driver, 320mm diameter	14W
C14WLED/CF	LED bulkhead with inbuilt corridor function, 320mm diameter	14W
C14WLED/MS	LED bulkhead with microwave sensor, 320mm diameter	14W
C20WLED	LED bulkhead with European driver, 320mm diameter	20W
C20WLED/CF	LED bulkhead with inbuilt corridor function, 320mm diameter	20W
C20WLED/MS	LED bulkhead with microwave sensor, 320mm diameter	20W



C14WTLED	LED bulkhead Tridonic board and driver, 320mm diameter	14W
C14WTLED/CF	LED bulkhead Tridonic board and driver with corridor function, 320mm diameter	14W
C14WTLED/MS	LED bulkhead Tridonic board and driver with microwave sensor, 320mm diameter	14W
C20WLED/83/65	IP65 LED bulkhead with European driver 3000K, 340mm diameter	20W
C20WLED/65	IP65 LED bulkhead with European driver 4200K, 340mm diameter	20W

Available options



Orbit Two - IP66 rated polycarbonate bulkheads and eyelids



DBH01BK	Decorative bulkhead E27 with lamp - Black, 300mm diameter	23W
DBH01WH	Decorative bulkhead E27 with lamp - White, 300mm diameter	23W
DEL01BK	Decorative eyelid bulkhead E27 with lamp - Black, 300mm diameter	23W
DEL01WH	Decorative eyelid bulkhead E27 with lamp - White, 300mm diameter	23W
DBHBK	Angled bracket for above - Black	-
DBHWH	Angled bracket for above - White	-

Available options



Orbit Two LED - IP66 rated LED polycarbonate bulkheads and eyelids



CTBH12BK	IP66 rated 12W circular bulkhead - Black, 300mm diameter	12W
CTBH12WH	IP66 rated 12W circular bulkhead - White, 300mm diameter	12W
CTEL12BK	IP66 rated 12W eyelid - Black, 300mm diameter	12W
CTBH18BK	IP66 rated 18W bulkhead 350mm diameter - Black	18W
CTBH18BK/CF	IP66 rated 18W bulkhead 350mm diameter with corridor function	18W
CTBH18BK/MS	IP66 rated 18W bulkhead 350mm diameter with microwave sensor	18W

CTBH18WH	IP66 rated 18W bulkhead 350mm diameter - White	18W
CTBH18WH/CF	IP66 rated 18W bulkhead 350mm diameter with corridor function	18W
CTBH18WH/MS	IP66 rated 18W bulkhead 350mm diameter with microwave sensor	18W



CTBH24BK	IP66 rated 24W bulkhead 400mm diameter - Black	24W
CTBH24BK/CF	IP66 rated 24W bulkhead 400mm diameter with corridor function	24W
CTBH24BK/MS	IP66 rated 24W bulkhead 400mm diameter with microwave sensor	24W
CTBH24WH	IP66 rated 24W bulkhead 400mm diameter - White	24W
CTBH24WH/CF	IP66 rated 24W bulkhead 400mm diameter with corridor function	24W
CTBH24WH/MS	IP66 rated 24W bulkhead 400mm diameter with microwave sensor	24W

Available options



Product	Product Code	Description	Wattage
---------	--------------	-------------	---------

Orbit Three - Diecast bulkheads and eyelids



DEL118BK	Diecast Black Eyelid, 370mm diameter	1x18W
DEL126BK	Diecast Black Eyelid, 370mm diameter	1x26W
DEL28WBK	Diecast Black Eyelid, 370mm diameter	28W
DEL218BK	Diecast Black Eyelid, 370mm diameter	2x18W
DEL226BK	Diecast Black Eyelid, 370mm diameter	2x26W



DEL118GR	Diecast Grey Eyelid, 370mm diameter	1x18W
DEL126GR	Diecast Grey Eyelid, 370mm diameter	1x26W
DEL28WGR	Diecast Grey Eyelid, 370mm diameter	28W
DEL218GR	Diecast Grey Eyelid, 370mm diameter	2x18W
DEL226GR	Diecast Grey Eyelid, 370mm diameter	2x26W



DBH118BK	Diecast Black Eyelid, 370mm diameter	1x18W
DBH126BK	Diecast Black Eyelid, 370mm diameter	1x26W
DBH28BK	Diecast Black Eyelid, 370mm diameter	28W
DBH218BK	Diecast Black Eyelid, 370mm diameter	2x18W
DBH226BK	Diecast Black Eyelid, 370mm diameter	2x26W

Available options



Orbit Three LED - Diecast LED bulkheads and eyelids



DEL20BK	LED diecast eyelid Black, 370mm diameter	20W
DEL20BK/MS	LED diecast eyelid Black with microwave sensor, 370mm diameter	20W
DEL30BK	LED diecast eyelid Black, 370mm diameter	30W
DEL30BK/MS	LED diecast eyelid Black with microwave sensor, 370mm diameter	30W



DEL20GR	LED diecast eyelid Grey, 370mm diameter	20W
DEL20GR/MS	LED diecast eyelid Grey with microwave sensor, 370mm diameter	20W
DEL30GR	LED diecast eyelid Grey, 370mm diameter	30W
DEL30GR/MS	LED diecast eyelid Grey with microwave sensor, 370mm diameter	30W



DBH20BK	LED diecast bulkhead Black, 370mm diameter	20W
DBH20BK/MS	LED diecast bulkhead Black with microwave sensor, 370mm diameter	20W
DBH30BK	LED diecast bulkhead Black, 370mm diameter	30W
DBH30BK/MS	LED diecast bulkhead Black with microwave sensor, 370mm diameter	30W

Available options



Orbit Four - Interior decorative bulkheads



CWL213	Circular 2x13W light - Satin chrome	2x13W
CWL218	Circular 2x18W light - Satin chrome, 410mm diameter	2x18W
CWL226	Circular 2x26W light - Satin chrome, 410mm diameter	2x26W
CWL2D28W	Circular 28W 2D light - Satin chrome, 410mm diameter	28W
CWL2D38W	Circular 38W 2D light - Satin chrome, 410mm diameter	38W
CWL2D28W/MS	Circular 28W 2D light - Satin chrome with microwave sensor, 410mm diameter	28W
CWL2D38W/MS	Circular 38W 2D light - Satin chrome with microwave sensor, 410mm diameter	38W












CL28W	Metal spun white 28W 2D with lamp, 420mm diameter	28W
CL28W/MS	Metal spun 28W 2D with lamp and microwave sensor, 420mm diameter	28W
CL38W	Metal spun 38W 2D with lamp, 420mm diameter	38W
CL38W/MS	Metal spun 38W 2D with lamp and microwave sensor, 420mm diameter	38W

Available options





Product	Product Code	Description	Wattage
---------	--------------	-------------	---------


Orbit Four LED - Interior LED decorative bulkheads

	CWL20WLED	Decorative metal/glass LED ceiling/wall satin chrome light, 410mm dia	20W
	CWL20WLED/CF	Decorative LED ceiling/wall satin chrome light with corridor function, 410mm dia	20W
	CWL20WLED/MS	Decorative LED ceiling/wall satin chrome light with microwave sensor, 410mm dia	20W
	CWL30WLED	Decorative LED ceiling/wall satin chrome light, 410mm dia	30W
	CWL30WLED/CF	Decorative LED ceiling/wall satin chrome light with corridor function, 410mm dia	30W
	CWL30WLED/MS	Decorative LED ceiling/wall satin chrome light with microwave sensor, 410mm dia	30W
	CL20WLED	Decorative metal/polycarbonate LED ceiling/wall satin white light, 420mm dia	20W
	CL20WLED/CF	Decorative LED ceiling/wall white with corridor function, 420mm dia	20W
	CL20WLED/MS	Decorative LED ceiling/wall white light with microwave sensor, 420mm dia	20W
	CL30WLED	Decorative metal/polycarbonate LED ceiling/wall white light, 420mm dia	30W
	CL30WLED/CF	Decorative LED ceiling/wall white with corridor function, 420mm dia	30W
	CL30WLED/MS	Decorative LED ceiling/wall white light with microwave sensor, 420mm dia	30W
	DC390/20WWH	Circular metal/acrylic with white rim, 20W, 4000K, 390mm dia	20W
	DC390/20WSC	Circular metal/acrylic with satin chrome rim, 20W, 4000K, 390mm dia	20W
	DC420/20WWH	Circular metal/acrylic with white rim, 30W, 4000K, 420mm dia	30W
	DC420/20WSC	Circular metal/acrylic with satin chrome rim, 30W, 4000K, 420mm dia	30W
	DC400/20WWH	Circular metal/acrylic white colour and side lit, 20W, 4000K, 400mm dia	20W
	DC400/20WGR	Circular metal/acrylic grey colour and side lit, 20W, 4000K, 400mm dia	20W
	DC400/30WWH	Circular metal/acrylic white colour and side lit, 30W, 4000K, 400mm dia	30W
	DC400/30WGR	Circular metal/acrylic grey colour and side lit, 30W, 4000K, 400mm dia	30W
	DC4002/20WSC	Circular metal/acrylic satin chrome trim, 20W, 4000K, 400mm dia	20W
	DC4002/30WSC	Circular metal/acrylic satin chrome trim, 30W, 4000K, 400mm dia	30W
	SC340/20WSC	Circular metal/acrylic satin chrome trim, 20W, 4000K, 340mm dia	20W
	Available options	    	

Sensors

	MS01	Microwave sensor - 200W load	-
	MSCF	Microwave sensor with corridor function	-
	HBMS	Highbay microwave sensor - 500W load	-
	LCS	Lux control sensor - 400W load	-
		MSD1	Microwave sensor with integrated driver - 20W 300/350ma


Lighting accessories

	C/CLIPS	Ceiling clips for plasterboard ceilings	-
	DIM01	1-10V manual dimming switch	-
	WG1	Wire guard 1590 x 250 x 120mm	-

Lamps - Fluorescent

	F18W/84	18W T5 Colour 840 lamp	-
	F36W/84	36W T5 Colour 840 lamp	-
	F58W/84	58W T5 Colour 840 lamp	-
	F14W/84	14W T5 Colour 840 lamp	-
	F24W/84	24W T5 Colour 840 lamp	-
	F28W/84	28W T5 Colour 840 lamp	-
	F35W/84	35W T5 Colour 840 lamp	-
	F49W/84	49W T5 Colour 840 lamp	-
	F54W/84	54W T5 Colour 840 lamp	-
	F80W/84	80W T5 Colour 840 lamp	-

Product	Product Code	Description	Wattage	Nett Price £	C/W Emergency Nett Price £	
Lamps - Fluorescent (cont.)						
	2U13W/4	4 pin colour 840 G24 lamp		-		
	2U18W/4	4 pin colour 840 G24 lamp		-		
	2U26W/4	4 pin colour 840 G24 lamp		-		
	3U32W/4	4 pin colour 840 G24 lamp		-		
	3U42W/4	4 pin colour 840 G24 lamp		-		
	CFL23W	E27 Philips lamp 6500K		-		
	PLL40W/84	2G11 4 pin colour 840 lamp		-		
	PL55W/84	2G11 4 pin colour 840 lamp		-		
LED Lamps						
 	G24WLED	GX24 90 LED lamp - White		7W		
	G24WWLED	GX24 90 LED lamp - Warm White		7W		
	LED3W	GU10 LED lamp with Samsung chips		3W		
	LED600F	600mm LED frosted T8 lamp (3 year warranty)		9W		
	LED1200F	1200mm LED frosted T8 lamp (3 year warranty)		18W		
	LED1500F	1500mm LED frosted T8 lamp (3 year warranty)		25W		
	LED1800F	1800mm LED frosted T8 lamp (3 year warranty)		28W		
	ELED600F	Economy 600mm LED frosted T8 lamp (2 year warranty)		9W		
	ELED1200F	Economy 1200mm LED frosted T8 lamp (2 year warranty)		18W		
	ELED1500F	Economy 1500mm LED frosted T8 lamp (2 year warranty)		25W		
	CLS1500/MS	1500mm LED frosted T8 lamp with inbuilt microwave sensor		25W		
	LED1500/28WF	1500mm LED frosted T8 lamp for use with external driver (above item can be used with dimmable drivers)		28W		
	Helvar Control Gear					
	 	4334801	1x18W T8 NGN series		1x18W	
4333001		1x36W T8 NGN series		1x36W		
4331801		1x58W T8 NGN series		1x58W		
4312001		1x70W T8 ballast		1x70W		
4335801		2x18W T8 NGN series		2x18W		
4332001		2x36W T8 NGN series		2x36W		
4330801		2x58W T8 NGN series		2x58W		
4323001		2x70W T8 ballast		2x70W		
4017001		1x14W - 35W T5 NGN series		1x14W-35W		
4012001		1x49W T5 NGN series		1x49W		
4011001		1x54W T5 NGN series		1x54W		
4022001		1x55W TCL NGN series		1x55W		
4304001		1x80W T5 NGN series		1x80W		
4018001		2x14W - 35W T5 NGN series		2x14-35W		
4010001		2x49W T5 NGN series		2x49W		
4013001		2x54W T5 NGN series		2x54W		
4026001		2x55W TCL NGN series		2x55W		
4016001		2x80W T5 NGN series		2x80W		
4217001		1/2x18W TCD		1/2x18W		
4219001		1/2x26W TCD		1/2x26W		
B35HQI	HF Electronic gearbox (Helvar supplied)		35W			
B70HQI	HF Electronic gearbox (Helvar supplied)		70W			
LED Drivers and other models of ballasts also available						



Tegral

Quality Lighting

Tegral Lighting
Unit 4 Myson Way
Raynham Road Industrial Estate
Bishops Stortford
Herts
CM23 5JZ

Tel: 01279 461888/897/898/908
Fax: 01279 460115
E-mail: salesuk@tegral-lighting.com
Web: www.tegral-lighting.com

Tegral Lighting
Unit 99 Barrow Road
Dublin Industrial Estate
Glasnevin
D11

Tel: 01 8309684/85/86
Fax: 01 8309932
E-mail: sales@tegral-lighting.com
Web: www.tegral-lighting.com

Tegral Lighting
Ottostrasse 21b
54294
Trier
Germany

Tel: +49 65199847849
Fax: +49 32222442373
E-mail: salesde@tegral-lighting.com
Web: www.tegral-lighting.com